


	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	25.2	29.6	34.3	36.5	37.0	37.0	37.0	37.0	37.0
Immission Levels (Afton Windfarm)	27.5	31.3	36.4	38.3	39.1	39.9	40.7	40.7	41.0
Immission Levels (Hare Hill Extension)	21.5	22.6	23.7	24.8	25.9	27.0	28.1	29.2	30.3
Immission Levels (Hare Hill Windfarm)	17.9	18.3	18.7	19.0	19.4	19.8	20.1	20.5	20.9
Immission Levels (Windy Standard Extension)	19.6	22.6	25.9	27.8	28.7	28.6	27.3	26.9	27.0
Immission Levels (Windy Standard)	23.4	23.8	24.2	24.5	24.9	25.3	25.6	26.0	26.4
Immission Levels (South Kyle)	16.3	19.3	22.6	24.5	25.4	25.3	24.0	23.6	23.7
Immission Levels (All Except Pencloe)	30.5	33.2	37.4	39.2	40.0	40.7	41.4	41.4	41.8
Immission Levels (All sites)	31.6	34.8	39.1	41.1	41.8	42.3	42.7	42.7	43.0

Margin between calculated cumulative immission level and limit


Cumulative Daytime Limit	40.0	40.0	40.4	41.8	43.5	45.3	47.2	49.3	51.5
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.1	44.0	44.9	45.9
Cumulative Daytime Exceedance	-8.4	-5.2	-1.3	-0.7	-1.7	-3.0	-4.5	-6.6	-8.5
Cumulative Night time Exceedance	-11.4	-8.2	-3.9	-1.9	-1.2	-0.8	-1.3	-2.2	-2.9



	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	20.8	25.2	29.9	32.1	32.6	32.6	32.6	32.6	32.6
Immission Levels (Afton Windfarm)	21.1	24.9	30.0	31.9	32.7	33.5	34.3	34.3	34.6
Immission Levels (Hare Hill Extension)	25.2	26.3	27.4	28.5	29.6	30.7	31.8	32.9	34.0
Immission Levels (Hare Hill Windfarm)	21.3	21.7	22.1	22.4	22.8	23.2	23.5	23.9	24.3
Immission Levels (Windy Standard Extension)	17.2	20.2	23.5	25.4	26.3	26.2	24.9	24.5	24.6
Immission Levels (Windy Standard)	20.0	20.4	20.8	21.1	21.5	21.9	22.2	22.6	23.0
Immission Levels (South Kyle)	15.0	18.0	21.3	23.2	24.1	24.0	22.7	22.3	22.4
Immission Levels (All Except Pencloe)	29.0	30.7	33.4	34.9	35.8	36.5	37.1	37.4	38.0
Immission Levels (All sites)	29.6	31.8	35.0	36.8	37.5	38.0	38.4	38.7	39.1

Margin between calculated cumulative immission level and limit


Cumulative Daytime Limit	40.0	40.0	40.0	40.0	40.0	41.4	44.6	48.0	51.4
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.0	44.2	47.0	49.9
Cumulative Daytime Exceedance	-10.4	-8.2	-5.0	-3.2	-2.5	-3.4	-6.2	-9.3	-12.3
Cumulative Night time Exceedance	-13.4	-11.2	-8.0	-6.2	-5.5	-5.0	-5.8	-8.3	-10.8



	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	18.3	22.7	27.4	29.6	30.1	30.1	30.1	30.1	30.1
Immission Levels (Afton Windfarm)	15.5	19.3	24.4	26.3	27.1	27.9	28.7	28.7	29.0
Immission Levels (Hare Hill Extension)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Immission Levels (Hare Hill Windfarm)	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
Immission Levels (Windy Standard Extension)	14.9	17.9	21.2	23.1	24.0	23.9	22.6	22.2	22.3
Immission Levels (Windy Standard)	15.6	16.0	16.4	16.7	17.1	17.5	17.8	18.2	18.6
Immission Levels (South Kyle)	14.3	17.3	20.6	22.5	23.4	23.3	22.0	21.6	21.7
Immission Levels (All Except Pencloe)	35.2	35.3	35.7	36.0	36.2	36.3	36.3	36.3	36.4
Immission Levels (All sites)	35.3	35.6	36.3	36.9	37.2	37.3	37.3	37.3	37.3

Margin between calculated cumulative immission level and limit


Cumulative Daytime Limit	40.0	40.0	40.0	40.0	40.0	41.4	44.6	48.0	51.4
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.0	44.2	47.0	49.9
Cumulative Daytime Exceedance	-4.7	-4.4	-3.7	-3.1	-2.8	-4.1	-7.3	-10.7	-14.1
Cumulative Night time Exceedance	-7.7	-7.4	-6.7	-6.1	-5.8	-5.7	-6.9	-9.7	-12.6



	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	17.8	22.2	26.9	29.1	29.6	29.6	29.6	29.6	29.6
Immission Levels (Afton Windfarm)	12.5	16.3	21.4	23.3	24.1	24.9	25.7	25.7	26.0
Immission Levels (Hare Hill Extension)	22.1	23.2	24.3	25.4	26.5	27.6	28.7	29.8	30.9
Immission Levels (Hare Hill Windfarm)	24.5	24.9	25.3	25.6	26.0	26.4	26.7	27.1	27.5
Immission Levels (Windy Standard Extension)	14.4	17.4	20.7	22.6	23.5	23.4	22.1	21.7	21.8
Immission Levels (Windy Standard)	13.2	13.6	14.0	14.3	14.7	15.1	15.4	15.8	16.2
Immission Levels (South Kyle)	15.3	18.3	21.6	23.5	24.4	24.3	23.0	22.6	22.7
Immission Levels (All Except Pencloe)	27.4	28.5	30.2	31.3	32.1	32.7	33.0	33.5	34.1
Immission Levels (All sites)	27.9	29.4	31.8	33.4	34.1	34.4	34.6	35.0	35.4

Margin between calculated cumulative immission level and limit


Cumulative Daytime Limit	40.0	40.0	40.0	40.6	42.7	45.0	47.4	49.9	52.5
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
Cumulative Daytime Exceedance	-12.1	-10.6	-8.2	-7.2	-8.6	-10.6	-12.8	-14.9	-17.1
Cumulative Night time Exceedance	-15.1	-13.6	-11.2	-9.6	-8.9	-8.6	-8.4	-8.0	-7.6



	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	16.8	21.2	25.9	28.0	28.5	28.5	28.5	28.5	28.5
Immission Levels (Afton Windfarm)	11.5	15.3	20.4	22.3	23.1	23.9	24.7	24.7	25.0
Immission Levels (Hare Hill Extension)	21.8	22.9	24.0	25.1	26.2	27.3	28.4	29.5	30.6
Immission Levels (Hare Hill Windfarm)	22.6	23.0	23.4	23.7	24.1	24.5	24.8	25.2	25.6
Immission Levels (Windy Standard Extension)	14.3	17.3	20.6	22.5	23.4	23.3	22.0	21.6	21.7
Immission Levels (Windy Standard)	13.7	14.1	14.5	14.8	15.2	15.6	15.9	16.3	16.7
Immission Levels (South Kyle)	15.3	18.3	21.6	23.5	24.4	24.3	23.0	22.6	22.7
Immission Levels (All Except Pencloe)	26.4	27.7	29.4	30.7	31.5	32.0	32.3	32.8	33.5
Immission Levels (All sites)	26.9	28.5	31.0	32.5	33.3	33.6	33.8	34.2	34.7

Margin between calculated cumulative immission level and limit


Cumulative Daytime Limit	40.0	40.0	40.0	40.6	42.7	45.0	47.4	49.9	52.5
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
Cumulative Daytime Exceedance	-13.1	-11.5	-9.0	-8.1	-9.4	-11.4	-13.6	-15.7	-17.8
Cumulative Night time Exceedance	-16.1	-14.5	-12.0	-10.5	-9.7	-9.4	-9.2	-8.8	-8.3



	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	16.2	20.5	25.2	27.4	27.9	27.9	27.9	27.9	27.9
Immission Levels (Afton Windfarm)	11.2	15.0	20.1	22.0	22.8	23.6	24.4	24.4	24.7
Immission Levels (Hare Hill Extension)	23.5	24.6	25.7	26.8	27.9	29.0	30.1	31.2	32.3
Immission Levels (Hare Hill Windfarm)	25.4	25.8	26.2	26.5	26.9	27.3	27.6	28.0	28.4
Immission Levels (Windy Standard Extension)	14.1	17.1	20.4	22.3	23.2	23.1	21.8	21.4	21.5
Immission Levels (Windy Standard)	13.2	13.6	14.0	14.3	14.7	15.1	15.4	15.8	16.2
Immission Levels (South Kyle)	14.8	17.8	21.1	23.0	23.9	23.8	22.5	22.1	22.2
Immission Levels (All Except Pencloe)	28.2	29.3	30.6	31.7	32.5	33.1	33.5	34.1	34.8
Immission Levels (All sites)	28.5	29.8	31.7	33.1	33.8	34.2	34.6	35.0	35.6

Margin between calculated cumulative immission level and limit

Cumulative Daytime Limit	40.0	40.0	40.0	40.6	42.7	45.0	47.4	49.9	52.5
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
Cumulative Daytime Exceedance	-11.5	-10.2	-8.3	-7.5	-8.9	-10.8	-12.8	-14.9	-16.9
Cumulative Night time Exceedance	-14.5	-13.2	-11.3	-9.9	-9.2	-8.8	-8.4	-8.0	-7.4



	Noise Level (L <sub>A90</sub> , dB) by adjusted wind speed at 10m height								
	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9 m/s	10 m/s	11 m/s	12 m/s
Immission Levels (Pencloe)	16.4	20.8	25.4	27.6	28.1	28.1	28.1	28.1	28.1
Immission Levels (Afton Windfarm)	12.2	16.0	21.1	23.0	23.8	24.6	25.4	25.4	25.7
Immission Levels (Hare Hill Extension)	22.9	24.0	25.1	26.2	27.3	28.4	29.5	30.6	31.7
Immission Levels (Hare Hill Windfarm)	25.0	25.4	25.8	26.1	26.5	26.9	27.2	27.6	28.0
Immission Levels (Windy Standard Extension)	13.8	16.8	20.1	22.0	22.9	22.8	21.5	21.1	21.2
Immission Levels (Windy Standard)	12.6	13.0	13.4	13.7	14.1	14.5	14.8	15.2	15.6
Immission Levels (South Kyle)	14.6	17.6	20.9	22.8	23.7	23.6	22.3	21.9	22.0
Immission Levels (All Except Pencloe)	27.8	28.9	30.4	31.5	32.3	32.8	33.2	33.8	34.5
Immission Levels (All sites)	28.1	29.5	31.6	33.0	33.7	34.1	34.4	34.8	35.4

Margin between calculated cumulative immission level and limit

Cumulative Daytime Limit	40.0	40.0	40.0	40.6	42.7	45.0	47.4	49.9	52.5
Cumulative Night time Limit	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
Cumulative Daytime Exceedance	-11.9	-10.5	-8.4	-7.6	-9.0	-10.9	-13.0	-15.1	-17.1
Cumulative Night time Exceedance	-14.9	-13.5	-11.4	-10.0	-9.3	-8.9	-8.6	-8.2	-7.6

